

POLYMER	PRODUCT GRADE	DESCRIPTION
ABS	ABSN4BK	ABS, Notched Izod 4, Black
ABS	ABSN6BK	ABS, Notched Izod 6, Black
HIPS	HIPSN2BK	HIPS, Notched Izod 2, Black
PA6	PA6BK	Nylon 6, Unmodified, Black, Heat Stabilized
PA6	PA6GF15BK	Nylon 6, 15% Fiberglass Reinforced, Black, Heat Stabilized
PA6	PA6GF33BK	Nylon 6, 33% Fiberglass Reinforced, Black, Heat Stabilized
PA6	PA6GF33N	Nylon 6, 33% Fiberglass Reinforced, Natural, Heat Stabilized
PA6	PA6GF40BK	Nylon 6, 40% Fiberglass Reinforced, Black, Heat Stabilized
PA6	PA6GI30BK	Nylon 6, 30% Fiberglass Reinforced, Impact Modified, Black, Heat Stabilized
PA6	PA6GM40BK	Nylon 6, 40% Fiberglass/Mineral Reinforced, Black, Heat Stabilized
PA6	PA6MG25BK	Nylon 6, 25% Mineral/Fiberglass Reinforced, Black, Heat Stabilized
PA6	PA6MG30BK	Nylon 6, 30% Mineral/Fiberglass Reinforced, Black, Heat Stabilized
PA6	PA6MG40N	Nylon 6, 40% Mineral/Fiberglass Reinforced, Natural, Heat Stabilized
PA6	PA6NL	Nylon 6, Molding Grade Natural, Lubricated
PA612	PA612GF33BK	Nylon 612, 33% Fiberglass Reinforced, Black
PA66	PA66BK	Nylon 66, Unmodified, Black, Heat Stabilized
PA66	PA66GF15BK	Nylon 66, 15% Fiberglass Reinforced, Black, Heat Stabilized
PA66	PA66GF30BK	PA66, 30% Glass Reinforced Black Pellets, Heat Stabilized
PA66	PA66GF33BK	Nylon 66, 33% Fiberglass Reinforced, Black, Heat Stabilized
PA66	PA66GF33BKHR	Nylon 66, 33% Fiberglass Reinforced, Black, Heat Stabilized, Hydrolysis Resistant
PA66	PA66GF33N	Nylon 66, 33% Fiberglass Reinforced, Natural, Heat Stabilized
PA66	PA66GF35BK	Nylon 66, 35% Fiberglass Reinforced, Black, Heat Stabilized
PA66	PA66GF35N	Nylon 66, 35% Fiberglass Reinforced, Natural, Heat Stabilized
PA66	PA66GF43BK	Nylon 66, 43% Fiberglass Reinforced, Black, Heat Stabilized, Lubricated
PA66	PA66GF50BK	Nylon 66, 50% Fiberglass Reinforced, Black, Heat Stabilized
PA66	PA66GHI14BK	Nylon 66, 14% Fiberglass Reinforced, High Impact, Black, Heat Stabilized, Lubricated
PA66	PA66GHI14N	Nylon 66, 14% Fiberglass Reinforced, High Impact, Natural, Heat Stabilized, Lubricated
PA66	PA66GHI33BK	Nylon 66, 33% Fiberglass Reinforced, High Impact, Black, Heat Stabilized, Lubricated

POLYMER	PRODUCT GRADE	DESCRIPTION
PA66	PA66GHI33N	Nylon 66, 33% Fiberglass Reinforced, High Impact, Natural, Heat Stabilized, Lubricated
PA66	PA66GI14BK	Nylon 66, 14% Fiberglass Reinforced, Impact Modified, Black, Heat Stabilized
PA66	PA66GI14N	Nylon 66, Fiberglass Reinforced, Impact Modified, Natural, Heat Stabilized, Lubricated
PA66	PA66GM38BK	Nylon 66, 38% Fiberglass/Mineral Reinforced, Black, Heat Stabilized
PA66	PA66GM40BK	Nylon 66, 40% Fiberglass/Mineral Reinforced, Black, Heat Stabilized
PA66	PA66HIBK	Nylon 66, High Impact, Black, Heat Stabilized
PA66	PA66HIN	Nylon 66, High Impact, Natural, Heat Stabilized
PA66	PA66M40BK	Nylon 66, 40% Mineral Reinforced, Black, Heat Stabilized
PA66	PA66M40N	Nylon 66, 40% Mineral Reinforced, Natural, Heat Stabilized
PA66	PA66MIBK	Nylon 66, Medium Impact, Black, Heat Stabilized
PA66	PA66MIN	Nylon 66, Medium Impact, Natural, Heat Stabilized
PA66	PA66NL	Nylon 66, Molding Grade Natural, Lubricated
PBT	PBTM60BK	PBT, Unfilled Black Pellets
PC	PCM12BK	PC, Melt Index 12, Black
PC	PCM12N	PC, Melt Index 12 Natural
PC	PCM18BK	PC, Melt Index 18, Black
PC	PCM18N	PC, Melt Index 18 Natural
PCABS	PCABSN10BK	PC/ABS, Notched Izod 10, Black
PCABS	PCABSN8BK	PC/ABS, Notched Izod 8, Black
PPC	PPCGF15BK	PPC, 15% Fiberglass Reinforced, Black, Heat Stabilized
PPC	PPCGF20BK	PPC, 20% Fiberglass Reinforced, Black
PPC	PPCGF30BK	PPC, 30% Fiberglass Reinforced, Black, Heat Stabilized
PPC	PPCGF40BK	PPC, 40% Fiberglass Reinforced, Black, Heat Stabilized
PPC	PPCT10BK	PPC, 10% Talc Reinforced, Black, Heat Stabilized
PPC	PPCT20BK	PPC, 20% Talc Reinforced, Black, Heat Stabilized, Lubricated
PPC	PPCT30BK	PPC, 30% Talc Reinforced, Black, Heat Stabilized
PPC	PPCT30N	PPC, 30% Talc Reinforced, Natural, Heat Stabilized
PPC	PPCT40BK	PPC, 40% Talc Reinforced, Black, Heat Stabilized
PPH	PPHGF15BK	PPH, 15% Fiberglass Reinforced, Black, Heat Stabilized

POLYMER	PRODUCT GRADE	DESCRIPTION
PPH	PPHGF20BK	PPH, 20% Fiberglass Reinforced, Black, Heat Stabilized
PPH	PPHGF30BK	PPH, 30% Fiberglass Reinforced, Black, Heat Stabilized
PPH	PPHGF40BK	PPH, 40% Fiberglass Reinforced, Black, Heat Stabilized
PPH	PPHMG35BK	PPH, 35% Mineral/Fiberglass Reinforced, Black, Heat Stabilized
PPH	PPHMG40BK	PPH, 40% Mineral/Fiberglass Reinforced, Black, Heat Stabilized
PPH	PPHT20BK	PPH, 20% Talc Reinforced, Black, Heat Stabilized, Lubricated
PPH	PPHT20N	PPH, 20% Talc Reinforced, Natural, Heat Stabilized
PPH	PPHT40BK	PPH, 40% Talc Reinforced, Black, Heat Stabilized